

# CyberKey Blue 3

Improved, low profile button to prevent accidental Bluetooth activation. Designed for a mobile workforce. With Bluetooth 5.0, the CyberKey Blue 3 improves speed, connection range, and battery life.



## Improve Productivity

Easily update access permissions anywhere with a Bluetooth enabled phone or device.



## Ultimate Flexibility

CyberKey Blue 3 has a customizable permissions schedule with the ability to store a list of up to 12,000 locks.



## Charge via Micro-USB

CyberKey Blue 3 has a micro-USB port for convenient charging, in the office or on-the-go. It doubles as a communication port.



- Cache access permissions and delay activation until the user arrives on site. Works in conjunction with CyberLock and FlashLock access points.
- Bluetooth 5.0 is easily activated with the push of a button, allowing users to update access permissions on-the-go.
- Hardwiring the lock is not required when using the CyberKey Blue 3. The key's battery provides power for a CyberLock's electronics.



## CyberKey Blue 3

Part Number: CKR-BLUE3

CAW	Version 9.3 or newer
Enterprise	<input checked="" type="checkbox"/>
Basic	<input type="checkbox"/>



The CyberKey Blue 3 is an electronic key used to operate CyberLock cylinders and FlashLock access points. It has memory that contains encrypted access codes, a list of locks it may access, schedules of authorized dates and times it may access locks, and a begin-end date range during which the key will operate. The battery from a CyberKey energizes the electronics within a CyberLock cylinder.

Bluetooth 5.0 is activated with the push of a button and allows users to update access permissions on-the-go using an Android or iOS app. CyberKey Blue 3 has a convenient micro-USB port for charging and communication.

### Specifications

<b>Physical</b>	Fiberglass reinforced nylon, replaceable brass tip
<b>Operating Temperature</b>	32° to 122° F (0° to 50° C)
<b>Weight</b>	1.31 oz (37 g)
<b>Dimensions</b>	3.22" L x 0.65" W x 1.63" H (81.8 mm x 16.5 mm x 41.4 mm)
<b>Communication</b>	Infrared, Bluetooth 5.0, micro-USB port
<b>Visual Output</b>	Red and blue LED indicator lights top, bottom, and back
<b>Sound Output</b>	Embedded speaker
<b>Power</b>	Rechargeable lithium ion polymer
<b>Memory</b>	4 MB for up to 12,000 audit trail records and 3,300 lock list or 12,000 audit trail records and 12,000 lock list with optional lock list expansion SEM
<b>Compatibility</b>	ValidiKey 2 Plus vault and station, ValidiKey 20 vault, USB Station with CyberLink 2, Encoder I10, CyberKey Web Authorizer Hub 2, Flex II Keyports, and any smartphone running the CyberAudit Link mobile app
<b>Recharging</b>	Via the key tip or micro-USB port
<b>Remote Updates</b>	Update the key using the CyberAudit Link mobile app anywhere there is Internet access
<b>Activation/Deactivation</b>	Via the mobile app, with or without Internet access
<b>RoHS</b>	Compliant

Notes:  
 Dimensions in inches (mm)  
 Drawing not to scale  
 Ø indicates diameter

